



TR-FRET ERR alpha Coactivator Assay Kit, rabbit

Product Information

Cat

Kit-0928

Common Name

TR-FRET

Cat.No.

Kit-0928

Description

The ERR (estrogen related receptor) alpha TR-FRET Coactivator Assay provides a sensitive and robust method for high-throughput screening of potential ERR alpha ligands as inverse agonists (sometimes referred to as antagonists) of coactivator displacement. The kit uses a terbium (Tb)-labeled anti-GST antibody, a fluorescein-labeled coactivator peptide, and an ERR alpha ligand-binding domain (ERR alpha-LBD) that is tagged with glutathione-S-transferase (GST), in a homogeneous mix-and-read assay format.

In the ERR alpha TR-FRET Coactivator Assay, ERR alpha-LBD is added to ligand test compounds, followed by addition of a mixture of the fluorescein-coactivator peptide and Tb-labeled anti-GST antibody. After an incubation period at room temperature, the 520 nm/495 nm TR-FRET ratio is calculated and can be used to determine the EC₅₀ from a dose response curve of the compound. Based on the biology of the ERR alpha-coactivator peptide interaction, this ligand EC₅₀ is a composite value representing the amount of ligand required to bind to receptor, effect a conformational change, and displace coactivator peptide.

Applications

Nuclear Receptor Assay

Storage

Tb-anti-GST Antibody (Rabbit): Store at -20°C

ERR alpha-LBD, GST: Store at -80°C



CREATIVE **BIOMART**[®]
Assay Kit

TR-FRET ERR alpha Coactivator Assay Kit, rabbit

Fluorescein Coactivator Peptide: Store at -20°C

TR-FRET Coregulator Buffer G: Store at 4°C

1M DTT: Store at -20 °C or -80°C

Size

800 x 20 µL assays

Materials Required but Not Supplied

Microplate Reader

Detection method Fluorescent

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.org

Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA