



## F7 (Human) Chromogenic Activity Assay Kit

### Product Information

---

**Cat.No.**

Kit-0334

---

**Product Overview**

F7 (Human) Chromogenic Activity Assay Kit is developed to determine human F7 activity in plasma and cell culture supernatants.

---

**Description**

Factor VII (FVII) is a vitamin K-dependent plasma glycoprotein that is synthesized in the liver and circulates in blood as a single-chain inactive zymogen with a molecular mass of 50 kDa. Upon tissue damage and vascular injury, the cell surface receptor and cofactor tissue factor (TF) binds and allosterically activates FVII to its active form, FVIIa. The TF/FVIIa complex catalyzes the conversion of both factor IX to factor IXa and factor X to factor Xa to initiate coagulation via the extrinsic pathway. Very low levels of FVII are associated with severe coagulation disorders. Elevated plasma levels of FVII coagulant activity constitute an independent risk factor for fatal outcomes of coronary heart disease in middle-aged men.

---

**Target Species**

Human

---

**Usage**

For research use only (RUO)

---

**Storage**

Upon arrival, immediately store components of the kit at recommended temperatures up to the expiration date. Store FVII Standard, FX, rhTF, and FXa Substrate at -20°C. Store Microplate, Assay Diluent, EIA Diluent Concentrate (10x), and Wash Buffer Concentrate (20x) at 2-8°C. Unused microplate wells may be returned to the foil pouch with the desiccant packs and resealed. May be stored for up to 30 days in a vacuum desiccator. EIA Diluent (1x) and Wash Buffer (1x) may be stored for up to 30 days at 2-8°C.

---



## F7 (Human) Chromogenic Activity Assay Kit

### Kit Components

---

Human FVII Microplate: One 96-well polystyrene microplate coated with a polyclonal antibody against human FVII. 96 (8x12) wells  
Sealing Tapes: Pre-cut, pressure-sensitive sealing tapes that can be cut to fit the format of the individual assay. 3 slices  
Human FVII Standard: Lyophilized (0.26 IU, 91 ng). 1 vial  
EIA Diluent Concentrate (10x): A 10-fold concentrated buffered protein base. 20 mL  
Wash Buffer Concentrate (20x): A 20-fold concentrated buffered surfactant. 30 mL  
Assay Diluent: A ready to use diluent. 20 mL  
rhTF (Lipoprotein): Recombinant human TF lipoprotein, lyophilized. 1 vial  
Human FX: Lyophilized. 1 vial  
FXa Substrate: Lyophilized. 2 vials

---

### Compatible Sample Types

---

Cell Culture Supernatant, Plasma, Serum

---