

Protein Phosphatase Cdc25C Fluorometric (Human) Assay Kit

Product Information

Cat.No.

Kit-0735

Product Overview

Protein Phosphatase Cdc25C Fluorometric (Human) Assay Kit is a fluorometric and non-radioactive assay designed to measure the activity of Cdc25C protein phosphatase.

Description

Activation of cyclin-dependent kinases in higher eukaryotic cells can be achieved through dephosphorylation of two conserved residues, Thr14 and Tyr15 by members of the Cdc25 phosphatase family, Cdc25A, Cdc25B and Cdc25C. The Cdc25 dual-specificity phosphatases control progression through the eukaryotic cell division cycle by activating cyclin-dependent kinases. Cdc25A plays an important role at the G1/S-phase transition. Cdc25A degradation during mitotic exit and in early G1 is mediated by the anaphase-promoting complex or cycosome (APC/C)(Cdh1) ligase, and that a KEN-box motif in the N-terminus of the protein is required for its targeted degradation. Cdc25B undergoes activation during S-phase and plays a role in activating the mitotic kinase Cdk1/cyclin B in the cytoplasm. Active Cdk1/cyclin B then phosphorylates and activates Cdc25C leading to a positive feedback mechanism and to entry into mitosis. In addition to their essential function in the normal cell cycle, cdc25 phosphatases are involved in the checkpoint-induced control of cell cycle progression. Finally, Cdc25A and B phosphatases have been shown to possess an important oncogenic potential and to be overexpressed in a variety of cancers and cancer cell lines.

Applications

The Protein Phosphatase Cdc25C Fluorometric Assay Kit Users Manual is a fluorometric and non-radioactive assay designed to measure the activity of Cdc25C protein phosphatase. This 96-well assay is useful for screening inhibitors and modulators of Cdc25C activity in HTS. The kit includes all necessary components, including recombinant, human Cdc25C (catalytic domain), for use in preinvestigational drug discovery assays.

Protein Phosphatase Cdc25C Fluorometric (Human) Assay Kit

Target Species

Human

Usage

For research use only (RUO)

Storage

Upon receipt, store all kit components at -20°C, except Recombinant Cdc25C. Recombinant Cdc25C should be stored at -70°C. Do not expose reagents to excessive light.

Kit Components

10X Assay Buffer 600 µL x 1 -20°C 10X 3-o-methyl fluorescein phosphate (OMFP) 550 µL x 1 -20°C Recombinant Cdc25C, Human (0.1 µg/µL) 550 µL x 1 -70°C 100X Cdc25 Inhibitor : 100 µM Na3VO4 in DW 100 µL x 1 -20°C Stop Solution 1,300 µL x 2 -20°C Instruction Manual 1 Room temp.