

## Autotaxin Inhibitor Screening Assay Kit

### Product Information

#### **Cat.No.**

Kit-1922

#### **Size**

96 wells

#### **Description**

Autotaxin (ATX, Ectonucleotide Pyrophosphatase/Phosphodiesterase-2, ENPP-2, Lysophospholipase D) is a secreted lysophospholipase D that catalyzes the hydrolysis of lysophosphatidylcholine (LPC) to generate lysophosphatidic acid (LPA). LPA is a lipid mediator that activates G protein-coupled receptors and induces a variety of biological responses, such as neurogenesis, angiogenesis, smooth-muscle contraction, platelet aggregation, and wound healing. ATX-LPA signaling is involved in a range of pathologies including tumor progression and inflammation. The Autotaxin Inhibitor Screening Assay provides a convenient method for screening human ATX inhibitors. ATX cleaves bis-(p-nitrophenyl) phosphate liberating p-nitrophenol, a yellow product that is measured at 405-415 nm.

#### **Storage**

-80°C

#### **Kit Components**

Autotaxin Assay Buffer (10X): 1 vial/5 ml; -20°C Autotaxin (human recombinant) Assay Reagent: 2 vials/60 µl; -80°C Autotaxin Substrate: 2 vials/Iyophilized; -20°C 96-Well Solid Plate (Colorimetric Assay): 1 plate; Room temperature 96-Well Cover Sheet: 1 cover; Room temperature