

Lipase Assay Kit

Product Information

Cat

Kit-2469

Cat.No.

Kit-2469

Product Overview

LIPASE catalyzes the hydrolysis of ester bonds on the glycerol backbone of a lipid substrate. In humans, pancreatic lipase is the key enzyme responsible for breaking down fats in the digestive system by converting triglycerides to monoglycerides and free fatty acids. Human pancreatic lipase and its related protein 2 are the main lipases secreted by the pancreas. In acute pancreatitis, lipase levels can rise 5 to 10-fold within 24 to 48 hours. Increased activities have also been associated with pancreatic duct obstruction, pancreatic cancer, kidney disease, salivary gland inflammation, bowel obstruction, and other pancreatic diseases. Decreased levels may indicate permanent damage to lipase-producing cells in the pancreas. Simple, direct and automation-ready procedures for measuring lipase activity are very desirable. Lipase Assay is based on an improved dimercaptopropanol tributyrate (BALB) method, in which SH groups formed from lipase cleavage of BALB react with 5,5'-dithiobis(2-nitrobenzoic acid) (DTNB) to form a yellow colored product. The color intensity, measured at 412 nm, is proportionate to the enzyme activity in the sample.

Storage

4°C

Shipping

RT

Size

100 tests

Detection method OD412nm

Compatible Sample Types

Tel: 1-631-559-9269 1-516-512-3133

Fax:1-631-938-8127

Email:info@creative-biomart.org

45-1 Ramsey Road, Shirley, NY 11967, USA

Lipase Assay Kit

Serum, plasma, saliva, urine etc

Features & Benefits

Sensitive and accurate. Linear detection range 40 to 1600 U/L lipase activity in 96-well plate assay. Convenient and high throughput. The procedure involves adding a single working reagent, and reading the optical density at 10 min and 20 min at room temperature or 37°C. Can be automated to process thousands of samples per day.

Assay time

20 min

Sensitivity

40 U/L
